





# CHILL INDEX

Edition: August 2014 Retail Prices (Ex GST) www.orford.com.au









### Benefits of Buying an ORFORD

- ⇒ Australian company, Australian Call Centre
- ⇒ Australian product manuals
- ⇒ Spare parts available
- ⇒ Technical support
- ⇒ Australian Designed
- ⇒ Lower running costs
- ⇒ Electrically compliant
- ⇒ MEPS approved
- ⇒ Foodsafe

### **Buyers Shopping List**

#### What to consider when purchasing

- ⇒ Energy efficiency ie running costs
- ⇒ Is the cabinet foodsafe ie can it maintain the correct temperature
- ⇒ Can I get technical support
- ⇒ Are spare parts available
- ⇒ Is it MEPS approved
- $\Rightarrow$  Can a service person repair it
- ⇒ What is the operating environment you require eg will the fridge be in air conditioning



**Contact The Orford Group** 

Phone: 1300 ORFORD (673 673)

Web: www.orford.com.au

Sales@orford.com.au



















**Contact The Orford Group** 

Phone: 1300 ORFORD (673 673)

Web: www.orford.com.au

Sales@orford.com.au





### General Purpose FMB

FMB20	Vertical Display Refrigerator	
Capacity	557 Litres (Gross)	
Dimensions	740W x 791D x 2010H	
Weight	165Kg	
Operating Temp	0° - 5° C.	
Ambient Temp Range	0° - 40° C.	
Power Point	230 - 240v 50Hz. (Standard GPO)	
Thermometer	Mechanical	
Shelves	4 Height Adjustable Heavy Duty PVC Coated	
Shelf Adjustment	12mm Increments	
	1 x Self Closing, Double Glazed Safety Glass,	
Door Single Heat reflective Low E, Argon filled		
	Hand hinged.	
Footings	Heavy Duty Castors, Lockable Front	
Compressor	Danfoss	
Interior Light	LED (on/off switch included)	
Refrigerant	R134A	
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free	
Climate Class	Class 5	
MEPS	Compliant (High Efficiency)	
Condenser Filter	Rear mounted	

		۵
11111		Д
SALAR RESPONS		۵
	-1	2
oran		


RRP: \$2600 + GST

**Vertical Display Refrigerator** FMB20-Sn with Illuminated Advertising Sign Powder Coated galvanized steel Int / Ext White Construction Capacity 557Litres (Gross) Dimensions 740W x 791D x 2200H Weight 165Kg 0° - 5° C. Operating Temp Ambient Temp 0° - 40° C. Range Power Point 230 - 240v 50Hz. (Standard GPO) Thermometer Mechanical **Shelves** 4 Height Adjustable Heavy Duty PVC Coated Shelf Adjustment 12mm Increments 1 x Self Closing, Double Glazed Safety Glass, Single Heat reflective Low E, Argon filled, Door Right Hand hinged. Footings Heavy Duty Castors, Lockable Front Compressor **Danfoss** Interior Light LED (on/off switch included) Refrigerant R134A 50mm Polyurethane, CFC, HCFC, HFC Free Insulation Climate Class MEPS Compliant (High Efficiency) Condenser Filter Rear mounted Illuminated Advertis-200mm High, Top Mounted. ing Sign Sign Illumination LED

RRP: \$2745 + GST

















## General Purpose FMB

FMB30	Vertical Display Refrigerator	
Construction	Powder Coated galvanized steel Interior /	
Construction	Exterior White	
Capacity	889 Litres (Gross)	
Dimensions	1130W x 791D x 2010H	
Weight	210Kg	
Operating Temp	0° - 5° C.	
Ambient Temp Range	0° - 40° C.	
Power Point	230 - 240v 50Hz. (Standard GPO)	
Thermometer	Mechanical	
Shelves	8 Height Adjustable Heavy Duty PVC Coated	
Shelf Adjustment	12mm Increments	
	1 x Self Closing, Double Glazed Safety Glass,	
Door	Single Heat reflective Low E, Argon filled,	
	Right Hand hinged.	
Footings	Heavy Duty Castors, Lockable Front	
Compressor	Danfoss	
Interior Light	LED (on/off switch included)	
Refrigerant	R134A	
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free	
Climate Class	Class 5	
MEPS	Compliant (High Efficiency)	
Condenser Filter	Rear mounted	

RRP: \$3265 + GST




Vertical Display Refrigerator RRP: \$3408 + GST with Illuminated Advertising Sign

FMB30-Sn	vertical Display Kelligerator	
1101030-311	with Illuminated Advertising Sign	
Construction	Powder Coated galvanized steel Int/ Ext White	
Capacity	889 Litres (Gross)	
Dimensions	1130W x 791D x 2200H	
Weight	210Kg	
Operating Temp	0° - 5° C.	
Ambient Temp Range	0° - 40° C.	
Power Point	230 - 240v 50Hz. (Standard GPO)	
Thermometer	Mechanical	
Shelves	8 Height Adjustable Heavy Duty PVC Coated	
Shelf Adjustment	12mm Increments	
	1 x Self Closing, Double Glazed Safety Glass, Single Heat reflective Low E, Argon filled, Right Hand hinged.	
Door		
Footings	Heavy Duty Castors, Lockable Front	
Compressor	Danfoss	
Interior Light	LED (on/off switch included)	
Refrigerant	R134A	
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free	
Climate Class	Class 5	
MEPS	Compliant (High Efficiency)	
Condenser Filter	Rear mounted	
Illuminated Advertising Sign	200mm High, Top Mounted.	
Sign Illumination	LED	















<b>E</b> B20R-Sn		
L BZUR-SII	Vertical Display Refrigerator with Illuminated Advertising Sign	
Specifications		
Construction	Powder Coated galvanized steel Interi-	
Construction	or / Exterior White	
Capacity	595 Litres (Gross)	
Dimensions	756W x 762D x 2220H	
Weight	155Kg	
Operating Temp	0° - 5° C.	
Ambient Temp Range	0° - 40° C.	
Power Point	220 - 240v 50Hz. (Standard GPO)	
Input Current	2.8 Amps	
Thermometer	Digital	
Shelves	4 Height Adjustable Heavy Duty PVC Coated	
Shelves	1 Fixed Stainless Steel Base Shelves	
Shelf Adjustment	12mm Increments	
Refrigerated Shelf Area	1.42 m²	
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas	
	1 x Self Closing, Double Glazed Safety Glass, Double	
Door	Heat reflective Low E, Warm edge, R/H	
Footings	Heavy Duty Castors, Lockable Front	
Interior Light	LED, Automatic and manual control	
Refrigerant	R134a	
Drier	Solid Core	
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free	
Cabinet Classes	3M1, 4M1, 5M1	
MEPS	Compliant (High Efficiency)	
* Energy Consumption	3.43 kWh/24h	
Condenser Filter	Easy front access	
Illuminated Advertising Sign	200mm High, Top Mounted	
Sign Illumination	LED, Automatic and manual control	

RRP: \$4035 + GST EB20R-Sn-A





The Orford Group	Energy Consumption
EB Model	@3M1 kWh/24hr
EB20R-A	3.17
EB20R-SN-A with illuminated sign	3.43
















<b>E</b> B30R-Sn	Vertical Display Refrigerator with Illuminated Advertising Sign	
Construction	Powder Coated galvanized steel Interior /Exterior White	
Capacity	895 Litres (Gross)	
Dimensions	1094W x 762D x 2220H	
Weight	210Kg	
Operating Temp	0° - 5° C.	
Ambient Temp Range	0° - 40° C.	
Power Point	220 - 240v 50Hz. (Standard GPO)	
Input Current	2.8 Amps	
Thermometer	Digital	
Shelves	8 Height Adjustable Heavy Duty PVC Coated	
Shelves 2 Fixed Stainless Steel Base Shelves		
Shelf Adjustment	12mm Increments	
Refrigerated Shelf Area	2.17 m²	
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas	
Door	2 x Self Closing, Double Glazed Safety Glass, Double Heat reflective Low E, Warm edge	
Footings	Heavy Duty Castors, Lockable Front	
Interior Light	LED, Automatic and manual control	
Refrigerant	R134a	
Cabinet Classes	3M1, 4M1, 5M1	
MEPS	Compliant (High Efficiency)	
* Energy Consumption	n 4.24 kWh/24h	
Condenser Filter	Easy front access	
Illuminated Advertising Sign	200mm High, Top Mounted	
Sign Illumination	LED, Automatic and manual control	

RRP: \$4622 + GST EB30R-Sn-A





	znergy consumption
	@3M1 kWh/24hr
EB30R-A	3.78
EB30R-SN-A with illuminated sign	4.24



1300 ORFORD (1300 673 673)







The Orford Group EB Model



**Energy Consumption** 



<b>E</b> B36R-Sn	Vertical Display Refrigerator with Illuminated Advertising Sign	
Construction	Powder Coated galvanized steel Interior /Exterior White	
Capacity	1071 Litres (Gross)	
Dimensions	1286W x 762D x 2220H	
Weight	221Kg	
Operating Temp	0° - 5° C.	
Ambient Temp Range	0° - 40° C.	
Power Point	220 - 240v 50Hz. (Standard GPO)	
Input Current	2.9 Amps	
Thermometer	Digital	
Shelves	8 Height Adjustable Heavy Duty PVC Coated	
Shelves	2 Fixed Stainless Steel Base Shelves	
Shelf Adjustment	12mm Increments 2 x Self Closing, Double Glazed Safety Glass, Double Heat reflective Low E, Warm edge	
Door		
Footings	Heavy Duty Castors, Lockable Front	
Interior Light	LED, Automatic and manual control	
Refrigerant	R134a	
Drier	Solid Core	
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free	
Cabinet Classes	3M1, 4M1, 5M1	
MEPS	Compliant (High Efficiency)	
* Energy Consumption	4.74 kWh/24h	
Condenser Filter	Easy front access	
Illuminated Advertising Sign	200mm High, Top Mounted	
Sign Illumination	LED, Automatic and manual control	

RRP: \$5193 + GST EB36R-Sn-A





The Orford Group EB Model	Energy Consumption @3M1 kWh/24hr
EB36R-A	4.28
EB36R-SN-A with illuminated sign	4.74
















**Vertical Display Refrigerator** EB45R-Sn with Illuminated Advertising Sign Powder Coated galvanized steel Construction Interior / Exterior White Capacity 1384 Litres (Gross) **Dimensions** 1640W x 762D x 2220H Weight 265 Kg 0° - 5° C. **Operating Temp Ambient Temp Range** 0° - 40° C. **Power Point** 220 - 240v 50Hz. (Standard GPO) 3.2 Amps Input Current Thermometer Digital Shelves 12 Height Adjustable Heavy Duty PVC Coated **Shelves** 3 Fixed Stainless Steel Base Shelves **Shelf Adjustment** 12mm Increments Refrigerated Shelf Area 3.38 m<sup>2</sup> Automatic by energy efficient, No Cost, Hot Gas Condensate Disposal 3 x Self Closing, Double Glazed Safety Glass, Door Double Heat reflective Low E, Warm edge **Footings** Heavy Duty Castors, Lockable Front Interior Light LED, Automatic and manual control Refrigerant **Cabinet Classes** 3M1, 4M1, 5M1 **MEPS** Compliant (High Efficiency) 6.03 kWh/24h \* Energy Consumption Condenser Filter Easy front access Illuminated Advertising 200mm High, Top Mounted


RRP: \$6480 + GST EB45R-Sn-A





The Orford Group EB Model	Energy Consumptio @3M1 kWh/24hr
EB45R-A	5.45
EB45R-SN-A with illuminated sign	6.03















## **Your Carbon Footprint**





The Orford Group Patented EB Model	Energy Consumption @ 3M1 kWh/24hr	Running Cost based on power at .28c per kW
EB20R-A	3.17	3.17 @ .28c = .89c per day = \$324.84 per annum
EB20R-Sn-A (with sign box)	3.43	3.43 @ .28c = .96c per day = \$350.40 per annum
EB30R-A	3.78	3.78 @28c = \$1.06c per day = \$386.90 per annum
EB30R-Sn-A (with sign box)	4.24	4.24 @28c = \$1.19 per day = \$434.35 per annum
EB36R-A	4.28	4.28 @ 28c = \$1.20 per day = \$428.00 per annum
EB36R-Sn-A (with sign box)	4.74	4.74 @ 28c = \$1.33 per day = \$485.45 per annum
EB45R-A	5.45	5.45 @ 28c = \$1.53 per day = \$558.45 per annum
EB45R-Sn-A (with sign box)	6.03	6.03 @28c = \$1.69 per day = \$616.85 per annum










technology that works

IP Protected by AUS DSN no 345317 & Patent NO 2013100761

















# Flower Fridges 4 U

Edition : August 2014 Retail Prices (Ex GST) www.flowerfridges4u.com.au











### **Orford Flower Range**

Flower Fridges 4 U


<b>E</b> B36R-Sn-Flower	Vertical Flower Refrigerator
Specifications	with Illuminated Advertising Sign
Flower Cabinet	Designed to extend the shelf life of fresh flowers
Capacity	1071 Litres (Gross)
Dimensions	1286W x 762D x 2220H
Weight	221Kg
Florist Benefits	Temperature Management for flowers
Colours	Ebony Black, and Snow White
Power Point	220 - 240v 50Hz. (Standard GPO)
Input Current	2.9 Amps
Thermometer	Digital
Shelves	8 Height Adjustable Heavy Duty PVC Coated
Shelves	2 Fixed Stainless Steel Base Shelves
Shelf Adjustment	12mm Increments
Door	2 x Self Closing, Double Glazed Safety Glass, Double Heat reflective Low E, Warm edge
Footings	Heavy Duty Castors, Lockable Front
Interior Light	LED, Automatic and manual control
Refrigerant	R134a
Cabinet Classes	3M1, 4M1, 5M1
MEPS	Compliant (High Efficiency)
* Energy Consumption	4.74 kWh/24h
Condenser Filter	Easy front access
Illuminated Advertising Sign	200mm High, Top Mounted
Sign Illumination	LED, Automatic and manual control

RRP: \$5193 + GST EB36R-Sn-A-Flower



Daily running costs based on power costs of .28c per kW

- \$1.20 per day with sign box off
- \$1.33 per day with sign box on





For more information on the Orford Group flower Range including features & benefits refer to

www.flowerfridges4u.com.au
















### **Orford Flower Range**


Flower Fridges 4 U

<b>E</b> B45R-Sn-Flower	Vertical Flower Refrigerator				
Specifications	with Illuminated Advertising Sign				
Flower Cabinet	Designed to extend the shelf life of fresh flow-				
Flower Cabillet	ers				
Capacity	1384 Litres (Gross)				
Dimensions	1640W x 762D x 2220H				
Weight	265 Kg				
Florist Benefits	Temperature Management for flowers				
Colours	Ebony Black, and Snow White				
Power Point	220 - 240v 50Hz. (Standard GPO)				
Input Current	3.2 Amps				
Thermometer	Digital				
Shelves	12 Height Adjustable Heavy Duty PVC Coated				
Shelves	3 Fixed Stainless Steel Base Shelves				
Shelf Adjustment	12mm Increments				
D	3 x Self Closing, Double Glazed Safety Glass,				
Door	Double Heat reflective Low E, Warm edge				
Footings	Heavy Duty Castors, Lockable Front				
Interior Light	LED, Automatic and manual control				
Refrigerant	R134a				
Cabinet Classes	3M1, 4M1, 5M1				
MEPS	Compliant (High Efficiency)				
* Energy Consumption	6.03 kWh/24h				
Condenser Filter	Easy front access				
Illuminated Advertising	200mm High, Top Mounted				
Sign	<b>3</b> , 1				
Sign Illumination	LED, Automatic and manual control				

RRP: \$6480 + GST EB45R-Sn-A-Flower







Daily running costs based on power costs of .28c per kW


- \$1.53 per day with sign box off
- \$1.69 per day with sign box on



For more information on the Orford Group flower Range including features & benefits refer to

www.flowerfridges4u.com.au

















Present your wine beautifully in an Orford Wine Cabinet.







# Bar Fridges 4 U

by The Orford Group

Phone: 1300 ORFORD (673 673)

Web: www.barfridges4u.com.au

Sales@barfridges4u.com.au



## **Economy wine Range**

FMB20-Sn-Wine	Vertical Display Refrigerator with Illuminated Advertising Sign
Construction	Powder Coated galvanized steel Int / Ext White
Capacity	557Litres (Gross)
Dimensions	740W x 791D x 2200H
Weight	165Kg
Operating Temp	0° - 5° C.
Ambient Temp Range	0° - 40° C.
Power Point	230 - 240v 50Hz. (Standard GPO)
Thermometer	Mechanical
Shelves	4 Height Adjustable Heavy Duty PVC Coated
Shelf Adjustment	12mm Increments
Door	1 x Self Closing, Double Glazed Safety Glass, Single Heat reflective Low E, Argon filled, Right Hand hinged.
Footings	Heavy Duty Castors, Lockable Front
Compressor	Danfoss
Interior Light	LED (on/off switch included)
Refrigerant	R134A
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free
Climate Class	Class 5
MEPS	Compliant (High Efficiency)
Condenser Filter	Rear mounted
Illuminated Advertising Sign	200mm High, Top Mounted.
Sign Illumination	LED


RRP: \$2745 + GST





















## **Economy Wine Fridge**

RRP: \$3265 + GST

	Vertical Display Wine Defrigorator				
FMB30-Sn-Wine	Vertical Display Wine Refrigerator				
1111233 311 1111112	with Illuminated Advertising Sign				
Construction	Powder Coated galvanized steel Int/ Ext				
Construction	White				
Capacity	889 Litres (Gross)				
Dimensions	1130W x 791D x 2200H				
Weight	210Kg				
Operating Temp	0° - 5° C.				
Ambient Temp Range	0° - 40° C.				
Power Point	230 - 240v 50Hz. (Standard GPO)				
Thermometer	Mechanical				
Shelves	8 Height Adjustable Heavy Duty PVC Coated				
Shelf Adjustment	12mm Increments				
	1 x Self Closing, Double Glazed Safety Glass,				
Door	Single Heat reflective Low E, Argon filled,				
	Right Hand hinged.				
Footings	Heavy Duty Castors, Lockable Front				
Compressor	Danfoss				
Interior Light	LED (on/off switch included)				
Refrigerant	R134A				
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free				
Climate Class	Class 5				
MEPS	Compliant (High Efficiency)				
Condenser Filter	Rear mounted				
Illuminated Advertising	200mm High, Top Mounted.				
Sign	5 / 1				
Sign Illumination	LED				
2.g.:					






www.barfridges4u.com.au


















# PlanetSmart™ EB Wine Range

Enang Co. Win a	
<b>E</b> B20R-Sn-Wine	Vertical Display Wine Refrigerator
Specifications	with Illuminated Advertising Sign
Construction	Powder Coated galvanized steel Interi-
Construction	or / Exterior White
Capacity	595 Litres (Gross)
Dimensions	756W x 762D x 2220H
Weight	155Kg
Operating Temp	0° - 5° C.
Ambient Temp Range	0° - 40° C.
Power Point	220 - 240v 50Hz. (Standard GPO)
Input Current	2.8 Amps
Thermometer	Digital
Shelves	4 Height Adjustable Heavy Duty PVC Coated
Shelves	1 Fixed Stainless Steel Base Shelves
Shelf Adjustment	12mm Increments
Refrigerated Shelf Area	1.42 m²
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas
	1 x Self Closing, Double Glazed Safety Glass, Double
Door	Heat reflective Low E, Warm edge, R/H
Footings	Heavy Duty Castors, Lockable Front
Interior Light	LED, Automatic and manual control
Refrigerant	R134a
Drier	Solid Core
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free
Cabinet Classes	3M1, 4M1, 5M1
MEPS	Compliant (High Efficiency)
* Energy Consumption	3.43 kWh/24h
Condenser Filter	Easy front access
Illuminated Advertising Sign	200mm High, Top Mounted
Sign Illumination	LED, Automatic and manual control

RRP: \$4035 + GST EB20R-Sn-A-Wine





www.barfridges4u.com.au



IP Protected by AUS DSN no 345317 & Patent NO 2013100761




The Orford Group	<b>Energy Consumption</b>
EB20 Wine Cabinet	@3M1 kWh/24hr

EB20R-SN-A with sign 3.43


















## PlanetSmart™ EB Wine Range

<b>E</b> B30R-Sn-wine	Vertical Wine Display Refrigerator with Illuminated Advertising Sign					
Construction	Powder Coated galvanized steel					
<b>G</b> 011041 <b>G</b> 041011	Interior /Exterior White					
Capacity	895 Litres (Gross)					
Dimensions	1094W x 762D x 2220H					
Weight	210Kg					
Operating Temp	0° - 5° C.					
Ambient Temp Range	0° - 40° C.					
Power Point	220 - 240v 50Hz. (Standard GPO)					
Input Current	2.8 Amps					
Thermometer	Digital					
Shelves	8 Height Adjustable Heavy Duty PVC Coated					
Shelves	2 Fixed Stainless Steel Base Shelves					
Shelf Adjustment	12mm Increments					
Refrigerated Shelf Area	2.17 m <sup>2</sup>					
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas					
Door	2 x Self Closing, Double Glazed Safety Glass,					
Door	Double Heat reflective Low E, Warm edge					
Footings	Heavy Duty Castors, Lockable Front					
Interior Light	LED, Automatic and manual control					
Refrigerant	R134a					
Cabinet Classes	3M1, 4M1, 5M1					
MEPS	Compliant (High Efficiency)					
* Energy Consumption	4.24 kWh/24h					
Condenser Filter	Easy front access					
Illuminated Advertising	200mm High, Top Mounted					
Sign	<u> </u>					
Sign Illumination	LED, Automatic and manual control					

RRP: \$4622 + GST EB30R-Sn-A-wine








IP Protected by AUS DSN no 345317 & Patent NO 2013100761





The Orford Group EB Model


Energy Consumption @3M1 kWh/24hr

EB30R-SN-A with sign

4.24



















### Orford EB Wine Range

Bar Fridges 4 U


EB36R-Sn-Wine	Vertical Wine Refrigerator				
Specifications	with Illuminated Advertising Sign				
Wine Cabinet					
Capacity	1071 Litres (Gross)				
Dimensions	1286W x 762D x 2220H				
Weight	221Kg				
Florist Benefits	Temperature Management for flowers				
Colours	Ebony Black, and Snow White				
Power Point	220 - 240v 50Hz. (Standard GPO)				
Input Current	2.9 Amps				
Thermometer	Digital				
Shelves	8 Height Adjustable Heavy Duty PVC Coated				
Shelves	2 Fixed Stainless Steel Base Shelves				
Shelf Adjustment	12mm Increments				
6	2 x Self Closing, Double Glazed Safety Glass,				
Door	Double Heat reflective Low E, Warm edge				
Footings	Heavy Duty Castors, Lockable Front				
Interior Light	LED, Automatic and manual control				
Refrigerant	R134a				
Cabinet Classes	3M1, 4M1, 5M1				
MEPS	Compliant (High Efficiency)				
* Energy Consumption	4.74 kWh/24h				
Condenser Filter	Easy front access				
Illuminated Advertising	200mm High, Top Mounted				
Sign	· .				
Sign Illumination	LED, Automatic and manual control				

RRP: \$5193 + GST EB36R-Sn-A-Wine





IP Protected by AUS DSN no 345317 & Patent NO 2013100761







www.barfridges4u.com.au

Daily running costs based on power costs of .28c per kW


- \$1.20 per day with sign box off
- \$1.33 per day with sign box on

For more information on the Orford Group Wine and Bar Range including features & benefits refer to

www.barfridges4u.com.au

















### Orford EB Wine Range

Bar Fridges 4 U


<b>■ E B45R-Sn-Wine</b> Specifications	Vertical Wine Refrigerator with Illuminated Advertising Sign
Wine Cabinet	
Capacity	1384 Litres (Gross)
Dimensions	1640W x 762D x 2220H
Weight	265 Kg
Florist Benefits	Temperature Management for flowers
Colours	Ebony Black, and Snow White
Power Point	220 - 240v 50Hz. (Standard GPO)
Input Current	3.2 Amps
Thermometer	Digital
Shelves	12 Height Adjustable Heavy Duty PVC Coated
Shelves	3 Fixed Stainless Steel Base Shelves
Shelf Adjustment	12mm Increments
	3 x Self Closing, Double Glazed Safety Glass,
Door	Double Heat reflective Low E, Warm edge
Footings	Heavy Duty Castors, Lockable Front
Interior Light	LED, Automatic and manual control
Refrigerant	R134a
Cabinet Classes	3M1, 4M1, 5M1
MEPS	Compliant (High Efficiency)
* Energy Consumption	6.03 kWh/24h
Condenser Filter	Easy front access
Illuminated Advertising Sign	200mm High, Top Mounted
Sign Illumination	LED, Automatic and manual control

RRP: \$6480 + GST EB45R-Sn-A-Wine



Daily running costs based on power costs of .28c per kW

- \$1.53 per day with sign box off
- \$1.69 per day with sign box on




Range including features & benefits refer to

www.BarFridges4u.com.au







1640

762













# **Halo Refrigeration**

by The Orford Group

Phone: 1300 ORFORD (673 673)

Web: www.halorefrigeration.com.au

Sales@orford.com.au





## Halo Refrigeration

The Freezer Range

TOG G1F-650 1 Door vertical freezer

685W x 760D x 1984H (2114 with castors)

650 Litres

\$4860 + GST



TOG G2F-1250 2 Door vertical Freezer

1382W x 760D x 1984H (2114 H with castors)

1250 Litres

\$7950 + GST



TOG G3FSD-72 3 Door vertical Freezer

1981W x 809D x 1956H

2019 Litres

\$11,826+ GST



#### **HALO20 Hotel Milk Dispenser**

\$980 + GST


- Well constructed Stainless Steel body with simple easy to use loading system and a hygienic easy to clean interior and exterior
- Accommodates 2 x 10 litre bladders in a compact design
- Includes 2 x ABX dispensing boxes
- Illuminated LED sign box
- Dimensions 386 W x 452 D x 810 H
- Operating temperature +2 degrees to +8 degrees Celsius
- Carel Temperature Display




For more information on the Halo refrigeration Range including features & benefits refer to

www.halorefrigeration.com.au















### **Equipment Finance**

Preserve Working Capital with Orford Finance—Phone 1300 673 673
































### **Orford Digital**

Orford Digital can provide artwork to refresh and Rebrand —Phone 1300 673 673

























Orford Digital can provide you with artwork to refresh and rebrand

Phone us on 1300 673 673 Www.orforddigital.com.au













### **After Market Solutions**

### Promote your Brand —Phone 1300 673 673







#### **Decal Sets**

RRP -\$240 + GST

Orford can arrange for your artwork to be printed 2 long decals (side) + 2 short (front) decals







### **Gravity Feed Systems**

RRP - \$250 + GST per door

Sold as a Per Door kit

Slip mat + 90mm shelf front + fast fit dividers

4 shelf / 35 dividers (enough for 1 door)

- Easy to adjust as planograms change
- Increase the product visibility
- Ticket stripping included

























# Ice Machines 4 U

by The Orford Group

Phone: 1300 ORFORD (673 673)

Web: www.icemachines4u.com.au

Sales@orford.com.au





EC30 Production 25kg / 24Hr Storage 10 Kgs RRP \$1760 + GST

450W x 475D x 650H (ex legs)

Ice type—Octagon Bin—integral



**EC50** Production 39kg / 24Hr Storage 25 kgs \$2240 + GST

550W x 550D x 800H (ex legs)

Ice type—Octagon



EC80 Production 60kg/24Hr Storage 44 kgs \$2880 + GST

700W x 600D x 900H (ex legs)

Ice type—Octagon















Model	Production Capacity Kg @ Air 21°C / Water 10°C	Production Capacity Kg @ Air 32°C / Water 21°C	Height (Inc legs) cm	Width	Depth	Bin / Dispenser Options	Price Ex GST
QM45—Full Dice	40	28	94.2	50.0	56.7	Integral	\$2650
Neo U-140—Full Dice	55	41	82.5 + 15.2 cm legs	64	67.3	Integral	\$3590
Neo U-190—Full Dice	79	60	82.5 + 15.2 cm legs	64	67.3	Integral	\$3,770
Neo U-240—Full Dice	87	68	82.5 + 15.2 cm legs	64	67.3	Integral	\$4190













	Ice Type	Ice Production 21c /	Ice Production 32c / 21c	Ice Storage Capacity	Height (inc legs	Width	Depth	Bin / Disp Options	RRP Price exc Bin
i-322	Dice Half Dice	134kg 140kg	90kg 90kg	95kg (A320 bin)	151.1 cm	55.9 cm	86.4 cm	A320 B420	\$4320
i-522	Dice Half Dice	189kg 134kg	134kg 134kg	141kg	181.6 cm	55.9 cm	86.4 cm	B420	\$4520















	Ice Type	Ice Production 21c /	Ice Production 32c / 21c	Ice Storage Capacity	Height (inc legs	Width	Depth	Bin / Disp Options	RRP Price exc Bin
i-1000	Half Dice	395kg	293kg	N/A	67.3cm	76.2cm	62.2 cm	A970	\$8150
0	Dice	403kg	297kg					SPA310	
								DISP500	
								A570	
i-1200	Half Dice	439kg	348kg	N/A	74.9cm	76.2	62.2 cm	SPA310	\$8720
0	Dice	481kg	371kg			cm		DISP500	
								A970	
								A570	
I-450	Dice	168kg	128kg		54.6cm	76.2cm	62.2	A570	\$4560
								A400	
								SPA310	
i-500	Dice	207kg	152kg	N/A	194	76.2cm	86.4 cm	A570	\$5200
a a					with bin			SPA310	
								A400	
I-606	Half dice	260kg	189kg		181.6c	76.2cm	86.4cm	SPA310	\$6070
	Dice	260kg	200kg		m with			A570	
					bin				
I-906	Half Dice	381kg	289kg		194 kg	76.2cm	86.4 cm	A970	\$7900
					with bir	1		A570	


















#### **Manitowoc Bins**

	Ice Type	Ice Production 21c / 10c	Ice Production 32c / 21c	Ice Storage Capacity	Height (inc legs	Width	Depth	Bin / Disp Options	RRP Price exc Bin
A320	N/A	N/A	N/A	95kg	96.5	55.9 cm	86.4 cm	A320	\$1450
A400	N/A	N/A	N/A	132kg	59.6cm	76.2 cm	86.4 cm	A400	\$1610
A570	N/A	N/A	N/A	195kg	<b>127</b> cm	76.2	86.4	A570	\$1860
A970	N/A	N/A	N/A	322kg	127cm	121.9cm	86.4cm	A970	\$2710

















#### Manitowoc Ice Machines

Model	Ice Type	Production Capacity Kg @ Air 21°C / Water 10°C	Production Capacity Kg @ Air 32°C / Wa- ter 21°C	Height (Inc legs) cm	Width	Depth	Bin / Dispenser Options  Priced separately	Price Exc Bins Exc GST
11000	Half Dice	395kg	293kg				A970	\$8440.00
0				67.3	76.2	62.2	SPA310	
	Full Dice	403kg	297kg				DISP500	\$8440.00
							A570	
11200	Half Dice	439kg	348kg				SPA310	\$9450.00
0				74.9	76.2	62.1	DISP500	
	Full Dice	481kg	371kg				A970	\$945000
							A570	

Model	Storage Capacity	Price
A570 Bin	195kg suits S450 & S600 series ice machines	\$1860.00
A970 Bin	322kg suits 850 up to S1800, SF900 series	\$2710.00
SPA160 Dispenser	54kg suits I320 & I1520 Series (no head included)	\$5300.00
SPA310 Dispenser	82 kg suits I450 up to I1200 Series (no head included)	\$6110.00
Disp500	294kg suits L450 up to l1200 (no head included)	\$16640.00
Disp1000	490kg suits I1400 up to I1800 (no head included)	\$2218000



















**Head Office** 

Unit 5, Quantum Business Park

1 Gardner Crt,

Wilsonton Qld 4350

National sales:

1300 ORFORD (1300 673 673)

Phone: +61 7 46 345 278

Fax : +61 7 46 417 372

Key Websites:

Www.flowerfridges4u.com.au

Www.orfordspareparts.com.au

All images are subject to copyright and cannot be reproduced without permission

**Postal Address** 

PO box 18120

Clifford Gardens Qld 4350

Jeff Ash: 0400 013 958

Email: jeff@orford.com.au

www.orford.com.au

Www.facebook.com/theorfordgroup

**Key Patents:** 

AUS DSN no 345317

Patent No 2013100761

"Orford" is protected by Trademark No

1452870

All efforts are made to ensure the accuracy of information, but from time to time errors may occur. Please check prior to placing orders. This publication serves as a guide to the Orford and partner products. Readers are encourage to contact Orford



