





CHILL INDEX

Edition: February 2016
Retail Prices (Ex GST)
www.orford.com.au









Benefits of Buying an ORFORD

- ⇒ Australian company, Australian Call Centre
- ⇒ Australian product manuals
- ⇒ Spare parts available
- ⇒ Technical support
- ⇒ Australian Designed
- ⇒ Lower running costs
- ⇒ Electrically compliant
- ⇒ MEPS approved
- ⇒ Foodsafe

Buyers Shopping List

What to consider when purchasing

- ⇒ Energy efficiency ie running costs
- ⇒ Is the cabinet foodsafe ie can it maintain the correct temperature
- ⇒ Can I get technical support
- ⇒ Are spare parts available
- ⇒ Is it MEPS approved
- ⇒ Can a service person repair it
- ⇒ What is the operating environment you require eg will the fridge be in air conditioning



Contact The Orford Group

Phone: 1300 ORFORD (673 673)

Web: www.orford.com.au

Sales@orford.com.au



















Contact The Orford Group

Phone: 1300 ORFORD (673 673)

Web: www.orford.com.au

Sales@orford.com.au






New for 2016 Orford VB36L-Sn-A

V B36L-Sn-A	Vertical Display Freezer					
Specifications	with Illuminated Advertising Sign					
Construction	Powder Coated galvanized steel Interior /Exterior White					
Capacity	1071 Litres (Gross)					
Dimensions	1286W x 870D x 2220H (mm)					
Weight	250 Kg (net)					
Operating Temp	-19° to -23° C.					
Ambient Temp Range	0° - 40° C.					
Power Point	220 - 240v 50Hz. (Standard GPO)					
Input Current	6.3 Amps					
Thermometer	Digital					
Shelves	8 Height Adjustable Heavy Duty PVC Coated					
Shelves	2 Fixed Stainless Steel Base Shelves					
Shelf Adjustment	12mm Increments					
Refrigerated Shelf Area	2.62 m ²					
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas					
	2 x Self Closing, Triple Glazed Safety Glass, Argon filled with					
Full Handled Door	Double Heat reflective Low E, Warm edge with removable					
	torsion bar, heated frame					
Footings	Heavy Duty Castors, Lockable Front					
Interior Light	LED, Automatic and manual control					
Refrigerant	R404a					
Drier	Solid Core					
Insulation	60mm Polyurethane, CFC, HCFC, HFC Free					
Cabinet Classes	3L1, 4L2, 5L3 up to 40 degree Celsius ambient					
MEPS	Compliant (High Efficiency)					
* Energy Consumption	20.73 kWh/24h/m2					
Condenser Filter	Easy front access					
Illuminated Advertising						
Sign	205mm High, Top Mounted					
Sign Illumination	LED, Automatic (motion sensor control) and manual control					
Temperature Alarms	High and low temperature alarms					
HACCP Function	Alarm system					
Defrost	Energy Efficient Hot Gas					
Sign Illumination	LED, Automatic and manual control					

Orford VB36L-Sn-A Freezer

RRP: \$7475 + GST





The Orford Group

Energy Consumption

VB36L-Sn-A

20.73

Introducing the 2016 Orford Bottom Mount VB36L-Sn-A Freezer with a removable package.

Matches the Orford EB Range

100% designed by the Orford Engineering Team

Patent Protected in Australia & New Zealand

Www.orford.com.au







1300 ORFORD (1300 673 673)



+617 4641 7372










New for 2016 Orford VB36L-Sn-ICE

№836L-Sn-A-Ice **Vertical Display Ice Freezer Specifications** with Illuminated Advertising Sign Construction Powder Coated galvanized steel Interior /Exterior White 1071 Litres (Gross) 1286W x 870D x 2220H (mm) **Dimensions** Weight 250 Kg (net) Operating Temp -19° to -23° C. **Ambient Temp Range** 0° - 40° C. **Power Point** 220 - 240v 50Hz. (Standard GPO) **Input Current** 6.3 Amps Thermometer Digital 8 Height Adjustable Heavy Duty PVC Coated Shelves Shelves 2 Fixed Stainless Steel Base Shelves Shelf Adjustment Refrigerated Shelf Area 2.62 m² Condensate Disposal Automatic by energy efficient, No Cost, Hot Gas 2 x Self Closing, Triple Glazed Safety Glass, Argon filled with Full Handled Door Double Heat reflective Low E, Warm edge with removable torsion bar, heated frame Heavy Duty Castors, Lockable Front Interior Light LED, Automatic and manual control Refrigerant R404a Insulation 60mm Polyurethane, CFC, HCFC, HFC Free Cabinet Classes 3L1, 4L2, 5L3 up to 40 degree Celsius ambient **MEPS** Compliant (High Efficiency) * Energy Consumption 20.73 kWh/24h/m2 Condenser Filter Easy front access **Illuminated Advertising** 205mm High, Top Mounted Sign Sign Illumination LED, Automatic (motion sensor control) and manual control **Temperature Alarms** High and low temperature alarms HACCP Function Alarm system Defrost **Energy Efficient Hot Gas** Sign Illumination LED, Automatic and manual control

Orford VB36L-Sn-A ICE Freezer

RRP: \$7475 + GST





The Orford Group

VB Freezer Model

.

@3M1 kWh/24hr

Energy Consumption

VB36L-Sn-A

20.73

Maximise Ice Sales with the Orford Bottom Mount Ice Freezer with a removable package.

Matches the Orford EB Range

100% designed by the Orford Engineering Team

Patent Protected in Australia & New Zealand

Www.orford.com.au











+617 4641 7372









General Purpose FMB

FMB20	Vertical Display Refrigerator						
Capacity	557 Litres (Gross)						
Dimensions	740W x 791D x 2010H						
Weight	165Kg						
Operating Temp	0° - 5° C.						
Ambient Temp Range	0° - 40° C.						
Power Point	230 - 240v 50Hz. (Standard GPO)						
Thermometer	Mechanical						
Shelves	4 Height Adjustable Heavy Duty PVC Coated						
Shelf Adjustment	12mm Increments						
Door	1 x Self Closing, Double Glazed Safety Glass, Single Heat reflective Low E, Argon filled, Right Hand hinged.						
Footings	Heavy Duty Castors, Lockable Front						
Compressor	Danfoss						
Interior Light	LED (on/off switch included)						
Refrigerant	R134A						
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free						
Climate Class	Class 5						
MEPS	Compliant (High Efficiency)						
Condenser Filter	Rear mounted						

-

RRP: \$2600 + GST



Energy consumed: 5.425 kWh/24hr

RRP: \$2745 + GST





Energy consumed: 5.589 kWh/24hr















General Purpose FMB

FMB30	Vertical Display Refrigerator					
Construction	Powder Coated galvanized steel Interior / Exterior White					
Capacity	889 Litres (Gross)					
Dimensions	1130W x 791D x 2010H					
Weight	210Kg					
Operating Temp	0° - 5° C.					
Ambient Temp Range	0° - 40° C.					
Power Point	230 - 240v 50Hz. (Standard GPO)					
Thermometer	Mechanical					
Shelves	8 Height Adjustable Heavy Duty PVC Coated					
Shelf Adjustment	12mm Increments					
Door	1 x Self Closing, Double Glazed Safety Glass, Single Heat reflective Low E, Argon filled, Right Hand hinged.					
Footings	Heavy Duty Castors, Lockable Front					
Compressor	Danfoss					
Interior Light	LED (on/off switch included)					
Refrigerant	R134A					
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free					
Climate Class	Class 5					
MEPS	Compliant (High Efficiency)					
Condenser Filter	Rear mounted					

RRP: \$3265 + GST



Energy consumed: 7.59 kWh/24hr

Energy consumed: 8 kWh/24hr

RRP: \$3408 + GST

Vertical Display Refrigerator with Illuminated Advertising Sign

Powder Coated galvanized steel Int/ Ext White Construction 889 Litres (Gross) Capacity 1130W x 791D x 2200H Dimensions

Weight 210Kg **Operating Temp** 0° - 5° C. 0° - 40° C. Ambient Temp Range

FMB30-Sn

Power Point 230 - 240v 50Hz. (Standard GPO)

Thermometer Mechanical Shelves

8 Height Adjustable Heavy Duty PVC Coated

Shelf Adjustment 12mm Increments

1 x Self Closing, Double Glazed Safety Glass, Single Heat reflective Low E, Argon filled,

Door Right Hand hinged.

Footings Heavy Duty Castors, Lockable Front

Compressor **Danfoss** Interior Light

LED (on/off switch included) Refrigerant R134A

50mm Polyurethane, CFC, HCFC, HFC Free Insulation

Climate Class Class 5

MEPS Compliant (High Efficiency)

Condenser Filter Rear mounted

Illuminated Advertising 200mm High, Top Mounted.

Sign Illumination LED

1300 ORFORD (1300 673 673)












E B20R-Sn	Vertical Display Refrigerator						
Specifications	with Illuminated Advertising Sign						
Construction	Powder Coated galvanized steel Interi-						
Compaitu	or / Exterior White						
Capacity Dimensions	595 Litres (Gross)						
2	756W x 762D x 2220H						
Weight	155Kg						
Operating Temp	0° - 5° C.						
Ambient Temp Range	0° - 40° C.						
Power Point	220 - 240v 50Hz. (Standard GPO)						
Input Current	2.8 Amps						
Thermometer	Digital						
Shelves	4 Height Adjustable Heavy Duty PVC Coated						
Shelves	1 Fixed Stainless Steel Base Shelves						
Shelf Adjustment	12mm Increments						
Refrigerated Shelf Area	1.42 m²						
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas						
Dagg	1 x Self Closing, Double Glazed Safety Glass, Double						
Door	Heat reflective Low E, Warm edge, R/H						
Footings	Heavy Duty Castors, Lockable Front						
Interior Light	LED, Automatic and manual control						
Refrigerant	R134a						
Drier	Solid Core						
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free						
Cabinet Classes	3M1, 4M1, 5M1						
MEPS	Compliant (High Efficiency)						
* Energy Consumption	3.43 kWh/24h						
Condenser Filter	Easy front access						
Illuminated Advertising Sign	200mm High, Top Mounted						
Sign Illumination	LED, Automatic and manual control						

RRP: \$4035 + GST EB20R-Sn-A





The Orford Group	Energy Consumption
EB Model	@3M1 kWh/24hr
EB20R-A	3.17
EB20R-SN-A with	3.43
illuminated sign	



1300 ORFORD (1300 673 673)












E B30R-Sn	Vertical Display Refrigerator with Illuminated Advertising Sign					
Construction	Powder Coated galvanized steel Interior /Exterior White					
Canacity	895 Litres (Gross)					
Capacity Dimensions	1094W x 762D x 2220H					
Weight						
	210Kg 0° - 5° C.					
Operating Temp	0° - 40° C.					
Ambient Temp Range Power Point						
	220 - 240v 50Hz. (Standard GPO)					
Input Current	2.8 Amps					
Thermometer	Digital					
Shelves	8 Height Adjustable Heavy Duty PVC Coated					
Shelves	2 Fixed Stainless Steel Base Shelves					
Shelf Adjustment	12mm Increments					
Refrigerated Shelf Area	2.17 m ²					
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas					
	2 x Self Closing, Double Glazed Safety Glass,					
Door	Double Heat reflective Low E, Warm edge					
Footings	Heavy Duty Castors, Lockable Front					
Interior Light	LED, Automatic and manual control					
Refrigerant	R134a					
Cabinet Classes	3M1, 4M1, 5M1					
MEPS	Compliant (High Efficiency)					
* Energy Consumption	4.24 kWh/24h					
Condenser Filter	Easy front access					
Illuminated Advertising	200mm High Ton Mounted					
Sign	200mm High, Top Mounted					
Sign Illumination	LED, Automatic and manual control					


RRP: \$4622 + GST EB30R-Sn-A





The Orford Group EB Model	Energy Consumption @3M1 kWh/24hr
EB30R-A	3.78
EB30R-SN-A with	4.24
illuminated sign	
















E B36R-Sn	Vertical Display Refrigerator with Illuminated Advertising Sign					
Construction	Powder Coated galvanized steel Interior /Exterior White					
Capacity	1071 Litres (Gross)					
Dimensions	1286W x 762D x 2220H					
Weight	221Kg					
Operating Temp	0° - 5° C.					
Ambient Temp Range	0° - 40° C.					
Power Point	220 - 240v 50Hz. (Standard GPO)					
Input Current	2.9 Amps					
Thermometer	Digital					
Shelves	8 Height Adjustable Heavy Duty PVC Coated					
Shelves	2 Fixed Stainless Steel Base Shelves					
Shelf Adjustment	12mm Increments					
Door	2 x Self Closing, Double Glazed Safety Glass, Double Heat reflective Low E, Warm edge					
Footings	Heavy Duty Castors, Lockable Front					
Interior Light	LED, Automatic and manual control					
Refrigerant	R134a					
Drier	Solid Core					
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free					
Cabinet Classes	3M1, 4M1, 5M1					
MEPS	Compliant (High Efficiency)					
* Energy Consumption	4.74 kWh/24h					
Condenser Filter	Easy front access					
Illuminated Advertising Sign	200mm High, Top Mounted					
Sign Illumination	LED, Automatic and manual control					


RRP: \$5193 + GST EB36R-Sn-A





The Orford Group EB Model	Energy Consumption @3M1 kWh/24hr			
EB36R-A	4.28			
EB36R-SN-A with illuminated sign	4.74			
















Vertical Display Refrigerator EB45R-Sn with Illuminated Advertising Sign Powder Coated galvanized steel Construction Interior / Exterior White Capacity 1384 Litres (Gross) Dimensions 1640W x 762D x 2220H Weight 265 Kg 0° - 5° C. **Operating Temp Ambient Temp Range** 0° - 40° C. 220 - 240v 50Hz. (Standard GPO) **Power Point Input Current** 3.2 Amps Thermometer Digital Shelves 12 Height Adjustable Heavy Duty PVC Coated Shelves 3 Fixed Stainless Steel Base Shelves **Shelf Adjustment** 12mm Increments Refrigerated Shelf Area 3.38 m² **Condensate Disposal** Automatic by energy efficient, No Cost, Hot Gas 3 x Self Closing, Double Glazed Safety Glass, Door Double Heat reflective Low E, Warm edge Footings Heavy Duty Castors, Lockable Front Interior Light LED. Automatic and manual control Refrigerant R134a **Cabinet Classes** 3M1, 4M1, 5M1 MEPS Compliant (High Efficiency) * Energy Consumption 6.03 kWh/24h Condenser Filter Easy front access Illuminated Advertising 200mm High, Top Mounted LED, Automatic and manual control Sign Illumination

RRP: \$6480 + GST EB45R-Sn-A





The Orford Group EB Model Energy Consumption
@3M1 kWh/24hr

EB45R-A 5.45

EB45R-SN-A with illuminated sign 6.03





1300 ORFORD (1300 673 673)











Your Carbon Footprint





The Orford Group Patented EB Model	Energy Consumption @ 3M1 kWh/24hr	Running Cost based on power at .28c per kW
EB20R-A	3.17	3.17 @ .28c = .89c per day = \$324.84 per annum
EB20R-Sn-A (with sign box)	3.43	3.43 @ .28c = .96c per day = \$350.40 per annum
EB30R-A	3.78	3.78 @28c = \$1.06c per day = \$386.90 per annum
EB30R-Sn-A (with sign box)	4.24	4.24 @28c = \$1.19 per day = \$434.35 per annum
EB36R-A	4.28	4.28 @ 28c = \$1.20 per day = \$428.00 per annum
EB36R-Sn-A (with sign box)	4.74	4.74 @ 28c = \$1.33 per day = \$485.45 per annum
EB45R-A	5.45	5.45 @ 28c = \$1.53 per day = \$558.45 per annum
EB45R-Sn-A (with sign box)	6.03	6.03 @28c = \$1.69 per day = \$616.85 per annum









IP Protected by AUS DSN no 345317 & Patent NO 2013100761















PlanetSmart™ Back Bar Range



Alfresco Dining with ORFORD

The Orford Back Bar Cooler Range

The perfect choice for your Alfresco area. The cabinets can be built fully into your cabinet or wall cavity

Energy efficient. Outdoor rated, tested to 32 degrees

The Orford Back Bar Range is part of the Orford

Planetsmart Range—saving the planet one fridge at a time



Orford BB135 Single Door Back Bar \$2010 + GST

Outdoor Glass Door Bar Fridge

Energy Efficient Stainless Steel Interior & Exterior

Dims: 600mm w x 500 d (+45mm handle) x 865 h Weight 55kg

Capacity: 135 Litres

Low E Glass Doors, LED Interior lighting, EBM fans, Carel Eco Controller, Heated Door Mullion

Orford BB210 Double Door Back Bar \$2480 + GST

Outdoor Glass Door Bar Fridge

Energy Efficient Stainless Steel Interior & Exterior

Dims: 900mm w x 500 d (+45mm handle) x 865 h

Capacity: 210 Litres

Low E Glass Doors, LED Interior lighting, EBM fans, Carel Eco Controller, Heated Door Mullion



















PlanetSmart™ Back Bar Range



Orford Back Bars Alfresco dining just got better



Body Finish: 304 Stainless

Interior Finish: Polished 304 Mirror Stainless

Door Finish: 304 Stainless Door Mullion: Heated Door Hinged: Self Closing Door Opened Depth: 910mm

Decibel rating: 50

Double Glazed tempered door. Low E glass

Can operate in 40 degrees ambient

Famous parts: Carel Eco controllers, EBM fans,

Embraco compressor

Lockable : Yes

Lighting : LED lights Adjustable Feet : Yes (4)

Shelves: 2 x flat chromed adjustable shelves per

door

MEPS compliant CTick compliant IP34 Outdoor rated

Allow 5 - 10 mm Shadowline when building into

cabinetry

Low E Glass Doors

Orford BB325 Triple Door Back Bar \$3465 + GST

Outdoor Glass Door Bar Fridge

Energy Efficient Stainless Steel Interior & Exterior

Dims: 1350mm w x 500 d (+45mm handle) x 865 h

Capacity: 325 Litres

Low E Glass Doors, LED Interior lighting, EBM fans, Carel Eco

Controller, Heated Door Mullion









sales@orford.com.au www.orford.com.au







PlanetSmart™ Back Bar Range



Orford Back Bars Alfresco dining just got better











Model	H mm	W mm	D mm	Gross Weight KGs	Refrigerant	Shelves	Capacity litres	330ml Bottles	Power Consumption (at 25 degrees ambient)
BB135	865	600	500 +45mm handle	55	R600a	2	135	104	1.93Kwh/24hrs
BB210	865	900	500 + 45mm handle	69	R600a	4	210	169	2.68Kwh/24hrs
BB325	865	1350	500 + 45mm handle	90	R600a	6	325	260	4.22Kwh/24hrs



Door locks standard



German brand EBM fan motors for reliable service









sales@orford.com.au www.orford.com.au









Flower Fridges 4 U

Edition : August 2014 Retail Prices (Ex GST) www.flowerfridges4u.com.au












Orford Flower Range

Flower Fridges 4 U

E B36R-Sn-Flower	Vertical Flower Refrigerator						
Specifications	with Illuminated Advertising Sign						
Flower Cabinet	Designed to extend the shelf life of fresh flowers						
Capacity	1071 Litres (Gross)						
Dimensions	1286W x 762D x 2220H						
Weight	221Kg						
Florist Benefits	Temperature Management for flowers						
Colours	Ebony Black, and Snow White						
Power Point	220 - 240v 50Hz. (Standard GPO)						
Input Current	2.9 Amps						
Thermometer	Digital						
Shelves	8 Height Adjustable Heavy Duty PVC Coated						
Shelves	2 Fixed Stainless Steel Base Shelves						
Shelf Adjustment	12mm Increments						
	2 x Self Closing, Double Glazed Safety Glass,						
Door	Double Heat reflective Low E, Warm edge						
Footings	Heavy Duty Castors, Lockable Front						
Interior Light	LED, Automatic and manual control						
Refrigerant	R134a						
Cabinet Classes	3M1, 4M1, 5M1						
MEPS	Compliant (High Efficiency)						
* Energy Consumption	4.74 kWh/24h						
Condenser Filter	Easy front access						
Illuminated Advertising Sign	200mm High, Top Mounted						
Sign Illumination	LED, Automatic and manual control						

RRP: \$5193 + GST EB36R-Sn-A-Flower





Daily running costs based on power costs of .28c per kW

- \$1.20 per day with sign box off
- \$1.33 per day with sign box on



For more information on the Orford Group flower Range including features & benefits refer to

www.flowerfridges4u.com.au



1300 ORFORD (1300 673 673)



sales@orfordcom.au www.orford.com.au








Orford Flower Range

Flower Fridges 4 U

						
EB45R-Sn-Flower	Vertical Flower Refrigerator					
Specifications	with Illuminated Advertising Sign					
Flower Cabinet	Designed to extend the shelf life of fresh flow-					
Tiower cubinet	ers					
Capacity	1384 Litres (Gross)					
Dimensions	1640W x 762D x 2220H					
Weight	265 Kg					
Florist Benefits	Temperature Management for flowers					
Colours	Ebony Black, and Snow White					
Power Point	220 - 240v 50Hz. (Standard GPO)					
Input Current	3.2 Amps					
Thermometer	Digital					
Shelves	12 Height Adjustable Heavy Duty PVC Coated					
Shelves	3 Fixed Stainless Steel Base Shelves					
Shelf Adjustment	12mm Increments					
Deer	3 x Self Closing, Double Glazed Safety Glass,					
Door	Double Heat reflective Low E, Warm edge					
Footings	Heavy Duty Castors, Lockable Front					
Interior Light	LED, Automatic and manual control					
Refrigerant	R134a					
Cabinet Classes	3M1, 4M1, 5M1					
MEPS	Compliant (High Efficiency)					
* Energy Consumption	6.03 kWh/24h					
Condenser Filter	Easy front access					
Illuminated Advertising	200mm High, Top Mounted					
Sign	20011111 Tight, Top Mounted					
Sign Illumination	LED, Automatic and manual control					

RRP: \$6480 + GST EB45R-Sn-A-Flower





745

Daily running costs based on power costs of .28c per kW

- \$1.53 per day with sign box off
- \$1.69 per day with sign box on



For more information on the Orford Group flower Range including features & benefits refer to

www.flowerfridges4u.com.au



1300 ORFORD (1300 673 673)



sales@orfordcom.au www.orford.com.au









Present your wine beautifully in an Orford Wine Cabinet.







Bar Fridges 4 U

by The Orford Group

Phone: 1300 ORFORD (673 673)

Web: www.barfridges4u.com.au

Sales@barfridges4u.com.au



Economy wine Range

FMB20-Sn-Wine	Vertical Display Refrigerator with Illuminated Advertising Sign						
Construction	Powder Coated galvanized steel Int / Ext White						
Capacity	557Litres (Gross)						
Dimensions	740W x 791D x 2200H						
Weight	165Kg						
Operating Temp	0° - 5° C.						
Ambient Temp Range	0° - 40° C.						
Power Point	230 - 240v 50Hz. (Standard GPO)						
Thermometer	Mechanical						
Shelves	4 Height Adjustable Heavy Duty PVC Coated						
Shelf Adjustment	12mm Increments						
Door	1 x Self Closing, Double Glazed Safety Glass, Single Heat reflective Low E, Argon filled, Right Hand hinged.						
Footings	Heavy Duty Castors, Lockable Front						
Compressor	Danfoss						
Interior Light	LED (on/off switch included)						
Refrigerant	R134A						
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free						
Climate Class	Class 5						
MEPS	Compliant (High Efficiency)						
Condenser Filter	Rear mounted						
Illuminated Advertising Sign	200mm High, Top Mounted.						
Sign Illumination	LED						




RRP: \$2745 + GST



















Economy Wine Fridge

RRP: \$3265 + GST

	Vertical Display Wine Refrigerator					
FMB30-Sn-Wine	with Illuminated Advertising Sign					
Construction	Powder Coated galvanized steel Int/ Ext					
	White					
Capacity	889 Litres (Gross)					
Dimensions	1130W x 791D x 2200H					
Weight	210Kg					
Operating Temp	0° - 5° C.					
Ambient Temp Range	0° - 40° C.					
Power Point	230 - 240v 50Hz. (Standard GPO)					
Thermometer	Mechanical					
Shelves	8 Height Adjustable Heavy Duty PVC Coated					
Shelf Adjustment	12mm Increments					
	1 x Self Closing, Double Glazed Safety Glass,					
Door	Single Heat reflective Low E, Argon filled,					
	Right Hand hinged.					
Footings	Heavy Duty Castors, Lockable Front					
Compressor	Danfoss					
Interior Light	LED (on/off switch included)					
Refrigerant	R134A					
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free					
Climate Class	Class 5					
MEPS	Compliant (High Efficiency)					
Condenser Filter	Rear mounted					
Illuminated Advertising	200mm High, Top Mounted.					
Sign	20011111 The II Top Mounted.					
Sign Illumination	LED					





















PlanetSmart™ EB Wine Range

■ EB20R-Sn-Wine	Vertical Display Wine Refrigerator							
Specifications	with Illuminated Advertising Sign							
Construction	Powder Coated galvanized steel Interior / Exterior White							
Capacity	595 Litres (Gross)							
Dimensions	756W x 762D x 2220H							
Weight	155Kg							
Operating Temp	0° - 5° C.							
Ambient Temp Range	0° - 40° C.							
Power Point	220 - 240v 50Hz. (Standard GPO)							
Input Current	2.8 Amps							
Thermometer	Digital							
Shelves	4 Height Adjustable Heavy Duty PVC Coated							
Shelves	1 Fixed Stainless Steel Base Shelves							
Shelf Adjustment	12mm Increments							
Refrigerated Shelf Area	1.42 m ²							
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas							
Door	1 x Self Closing, Double Glazed Safety Glass, Double							
	Heat reflective Low E, Warm edge, R/H							
Footings	Heavy Duty Castors, Lockable Front							
Interior Light	LED, Automatic and manual control							
Refrigerant	R134a							
Drier	Solid Core							
Insulation	50mm Polyurethane, CFC, HCFC, HFC Free							
Cabinet Classes	3M1, 4M1, 5M1							
MEPS	Compliant (High Efficiency)							
* Energy Consumption	3.43 kWh/24h							
Condenser Filter	Easy front access							
Illuminated Advertising Sign	200mm High, Top Mounted							
Sign Illumination	LED, Automatic and manual control							

RRP: \$4035 + GST EB20R-Sn-A-Wine






www.barfridges4u.com.au



IP Protected by AUS DSN no 345317 & Patent NO 2013100761



745
Ĭ
lli l
U
(@ @)
743

The Orford Group Energy Consumption
EB20 Wine Cabinet @3M1 kWh/24hr

EB20R-SN-A with sign 3.43





1300 ORFORD (1300 673 673)












PlanetSmart™ EB Wine Range

E B30R-Sn-wine	Vertical Wine Display Refrigerator with Illuminated Advertising Sign						
Construction	Powder Coated galvanized steel Interior /Exterior White						
Capacity	895 Litres (Gross)						
Dimensions	1094W x 762D x 2220H						
Weight	210Kg						
Operating Temp	0° - 5° C.						
Ambient Temp Range	0° - 40° C.						
Power Point	220 - 240v 50Hz. (Standard GPO)						
Input Current	2.8 Amps						
Thermometer	Digital						
Shelves	8 Height Adjustable Heavy Duty PVC Coated						
Shelves	2 Fixed Stainless Steel Base Shelves						
Shelf Adjustment	12mm Increments						
Refrigerated Shelf Area	2.17 m ²						
Condensate Disposal	Automatic by energy efficient, No Cost, Hot Gas						
Door	2 x Self Closing, Double Glazed Safety Glass, Double Heat reflective Low E, Warm edge						
Footings	Heavy Duty Castors, Lockable Front						
Interior Light	LED, Automatic and manual control						
Refrigerant	R134a						
Cabinet Classes	3M1, 4M1, 5M1						
MEPS	Compliant (High Efficiency)						
* Energy Consumption	4.24 kWh/24h						
Condenser Filter	Easy front access						
Illuminated Advertising Sign	200mm High, Top Mounted						
Sign Illumination	LED, Automatic and manual control						

RRP: \$4622 + GST EB30R-Sn-A-wine








IP Protected by AUS DSN no 345317 & Patent NO 2013100761





The Orford Group EB Model

Energy Consumption @3M1 kWh/24hr

EB30R-SN-A with sign

4.24





1300 ORFORD (1300 673 673)












Orford EB Wine Range

Bar Fridges 4 U


E B36R-Sn-Wine	Vertical Wine Refrigerator					
Specifications	with Illuminated Advertising Sign					
Wine Cabinet						
Capacity	1071 Litres (Gross)					
Dimensions	1286W x 762D x 2220H					
Weight	221Kg					
Florist Benefits	Temperature Management for flowers					
Colours	Ebony Black, and Snow White					
Power Point	220 - 240v 50Hz. (Standard GPO)					
Input Current	2.9 Amps					
Thermometer	Digital					
Shelves	8 Height Adjustable Heavy Duty PVC Coated					
Shelves	2 Fixed Stainless Steel Base Shelves					
Shelf Adjustment	12mm Increments					
6	2 x Self Closing, Double Glazed Safety Glass,					
Door	Double Heat reflective Low E, Warm edge					
Footings	Heavy Duty Castors, Lockable Front					
Interior Light	LED, Automatic and manual control					
Refrigerant	R134a					
Cabinet Classes	3M1, 4M1, 5M1					
MEPS	Compliant (High Efficiency)					
* Energy Consumption	4.74 kWh/24h					
Condenser Filter	Easy front access					
Illuminated Advertising	200mm High, Top Mounted					
Sign	<u> </u>					
Sign Illumination	LED, Automatic and manual control					

RRP: \$5193 + GST EB36R-Sn-A-Wine





IP Protected by AUS DSN no 345317 & Patent NO 2013100761





Bar Fridges 4 U

www.barfridges4u.com.au

Daily running costs based on power costs of .28c per kW

- \$1.20 per day with sign box off
- \$1.33 per day with sign box on

For more information on the Orford Group Wine and Bar Range including features & benefits refer to

www.barfridges4u.com.au





1300 ORFORD (1300 673 673)



e sales@orfordcom.au www.orford.com.au







Orford EB Wine Range

Bar Fridges 4 U


E B45R-Sn-Wine	Vertical Wine Refrigerator				
Specifications	with Illuminated Advertising Sign				
Wine Cabinet					
Capacity	1384 Litres (Gross)				
Dimensions	1640W x 762D x 2220H				
Weight	265 Kg				
Florist Benefits	Temperature Management for flowers				
Colours	Ebony Black, and Snow White				
Power Point	220 - 240v 50Hz. (Standard GPO)				
Input Current	3.2 Amps				
Thermometer	Digital				
Shelves	12 Height Adjustable Heavy Duty PVC Coated				
Shelves	3 Fixed Stainless Steel Base Shelves				
Shelf Adjustment	12mm Increments				
D	3 x Self Closing, Double Glazed Safety Glass,				
Door	Double Heat reflective Low E, Warm edge				
Footings	Heavy Duty Castors, Lockable Front				
Interior Light	LED, Automatic and manual control				
Refrigerant	R134a				
Cabinet Classes	3M1, 4M1, 5M1				
MEPS	Compliant (High Efficiency)				
* Energy Consumption	6.03 kWh/24h				
Condenser Filter	Easy front access				
Illuminated Advertising	200mm High, Top Mounted				
Sign					
Sign Illumination	LED, Automatic and manual control				

RRP: \$6480 + GST EB45R-Sn-A-Wine



Daily running costs based on power costs of .28c per kW

- \$1.53 per day with sign box off
- \$1.69 per day with sign box on



1640

762



www.barfridges4u.com.au

For more information on the Orford Group Bar and Wine Range including features & benefits refer to

www.BarFridges4u.com.au





1300 ORFORD (1300 673 673)



<u>sales@orfordcom.au</u>
www.orford.com.au









Halo Refrigeration

by The Orford Group

Phone: 1300 ORFORD (673 673)

Web: www.halorefrigeration.com.au

Sales@halorefrigeration.com.au





Halo Refrigeration

The Freezer Range

TOG G1F-650 1 Door vertical freezer

685W x 760D x 1984H (2114 with castors)

650 Litres \$4860 + GST



TOG G2F-1250 2 Door vertical Freezer

1382W x 760D x 1984H (2114 H with castors)

1250 Litres **\$7950 + GST**



TOG G3FSD-72 3 Door vertical Freezer

1981W x 809D x 1956H

2019 Litres \$15 350 + GST



HALO20 Hotel Milk Dispenser

\$980 + GST

- Well constructed Stainless Steel body with simple easy to use loading system and a hygienic easy to clean interior and exterior
- Accommodates 2 x 10 litre bladders in a compact design
- Includes 2 x ABX dispensing boxes
- Illuminated LED sign box
- Dimensions 380 W x 452 D x 810 H
- Operating temperature +2 degrees to +6 degrees Celsius



For more information on the Halo refrigeration Range including features & benefits refer to

www.halorefrigeration.com.au





+617 4641 7372









Equipment Finance

Preserve Working Capital with Orford Finance—Phone 1300 673 673































Orford Digital

Orford Digital can provide artwork to refresh and Rebrand —Phone 1300 673 673






















Phone us on 1300 673 673 Www.orforddigital.com.au

















After Market Solutions

Promote your Brand —Phone 1300 673 673







Decal Sets

RRP -\$240 + GST

Orford can arrange for your artwork to be printed 2 long decals (side) + 2 short (front) decals







Gravity Feed Systems


RRP - \$250 + GST per door

Sold as a Per Door kit

Slip mat + 90mm shelf front + fast fit dividers

4 shelf / 35 dividers (enough for 1 door)

- Easy to adjust as planograms change
- Increase the product visibility
- Ticket stripping included





























Ice Machines 4U

Edition: February 2016
Retail Prices (Ex GST)
Www.icemachines4u.com.au
www.orford.com.au







HALF DICE

DICE

REGULAR

GOURMET









Hard, clear ice cube with unique "rhomboid" shape 3/8" x 1-1/8" x 7/8" (0.95 x 2.86 x 2.22 cm) in dimension, 96 cubes per pound of ice, maximum cooling with nearly 100% ice to water ratio.


Hard, clear ice cube with unique "rhomboid" shape 7/8" x 7/8" x 7/8" (2.22 x 2.22 x 2.22 cm) in dimension, 48 cubes per pound of ice, maximum cooling with nearly 100% ice to water ratio.

Hard, clear ice cube with unique "rhomboid" shape 1–1/8" x 1–1/8" x 7/8" (2.86 x 2.86 x 2.22 cm) in dimension, 32 cubes per pound of ice, maximum cooling with nearly 100% ice to water ratio.

Hard, clear, individual ice cube with unique octagon shape 1-3/8" x 1-3/8" (3.49 x 3.49 cm) in dimension, maximum cooling with nearly 100% ice to water ratio.









NUGGET

TUBULAR NUGGET

FLAKE

CRUSHED









Easy to chew but hard enough to be dispensed without hand scooping, 3/8" (.95 cm) to 1/2" (1.27 cm) in width and length on average. Softer texture with good cooling. Cylindrical shaped nugget with 5/8" (1.59 cm) diameter and average length of 1" (2.54 cm) with 90% ice to water ratio.

Small, soft pieces of ice with a 73% ice to water ratio. Perfect for displaying products and hand scooping into drinks.

Manitowoc dice or half dice cubes crushed into small pieces using a Manitowoc ice machine and a Servend® beverage dispenser equipped with icepic™ ice crusher.























UG65





UG80

















Model	21 Air / 10 Water	32 Air / 21 Water	Storage Capacity	Dimensions	RRP ex GST
UG30	31kg	25kg	10KG	65 X 45 X 57.5	2080
UG50	57kg	43KG	25KG	80 X 55 X 55	2630
UG65	65kg	58KG	44KG	90 X 70 X 60	3040
UG80	85kg	67KG	44KG	90 X 70 X 60	3380

Legs x 4 75



UG80

















Model	Production Capacity Kg @ Air 21°C / Water 10°C	Production Capacity Kg @ Air 32°C / Water 21°C	Height (Inc legs) cm	Width	Depth	Bin / Dispenser Options	Price Ex GST
QM45—Full Dice	40	28	94.2	50.0	56.7	Integral	\$3340
Neo U-140—Full Dice	55	41	82.5 + 15.2 cm legs	64	67.3	Integral	\$3730
Neo U-190—Full Dice	79	60	82.5 + 15.2 cm legs	64	67.3	Integral	\$3,910
Neo U-240—Full Dice	87	68	82.5 + 15.2 cm legs	64	67.3	Integral	\$4360



1300 673 673











Manitowoc Ice Machines

Www.icemachines4u.com.au

	Ice Type	Ice Production 21c / 10c	Ice Production 32c / 21c	Ice Storage Capacity	Height (inc legs	Width	Depth	Bin / Disp Options	RRP Price exc Bin
i-322	Dice Half Dice	134kg 140kg	90kg 90kg	95kg (A320 bin)	151.1 cm	55.9 cm	86.4 cm	A320 B420	\$4950
i-522	Dice Half Dice	189kg 134kg	134kg 134kg	141kg	181.6 cm	55.9 cm	86.4 cm	B420	\$5170





1300 673 673











	Ice Type	Ice Production 21c /	Ice Production 32c / 21c	Ice Storage Capacity	Height (inc legs	Width	Depth	Bin / Disp Options	RRP Price exc Bin
i-1000	Half Dice	395kg	293kg	N/A	67.3cm	76.2cm	62.2 cm	A970	\$8440
0	Dice	403kg	297kg					SPA310	
								DISP500	
								A570	
i-1200	Half Dice	439kg	348kg	N/A	74.9cm	76.2	62.2 cm	SPA310	\$11,120
	Dice	481kg	371kg			cm		DISP500	
								A970	
								A570	
I-450	Dice	168kg	128kg		54.6cm	76.2cm	62.2	A570	\$5350
								A400	
								SPA310	
i-500	Dice	207kg	152kg	N/A	194	76.2cm	86.4 cm	A570	\$5970
0					with bin			SPA310	
								A400	
I-606	Half dice	260kg	189kg		181.6c	76.2cm	86.4cm	SPA310	\$7000
	Dice	260kg	200kg		m with bin			A570	
					DIII				
I-906	Half Dice	381kg	289kg		194 kg	76.2cm	86.4 cm	A970	\$8730
0.0		J	J		with bin			A570	
								, 13, 3	



www.icemachines4u.com.au

1300 673 673







+617 4641 7372









Manitowoc Bins

	Ice Type	Ice Production 21c / 10c	Ice Production 32c / 21c	Ice Storage Capacity	Height (inc legs	Width	Depth	Bin / Disp Options	RRP Price exc Bin
A320	N/A	N/A	N/A	95kg	96.5	55.9 cm	86.4 cm	A320	\$1650
A400	N/A	N/A	N/A	132kg	59.6cm	76.2 cm	86.4 cm	A400	\$1800
A570	N/A	N/A	N/A	195kg	127 cm	76.2	86.4	A570	\$2070
A970	N/A	N/A	N/A	322kg	127cm	121.9cm	86.4cm	A970	\$2710



www.icemachines4u.com.au



1300 673 673













Manitowoc Ice Machines

Model	Ісе Туре	Production Capacity Kg @ Air 21°C / Water 10°C	Production Capacity Kg @ Air 32°C / Water 21°C	Height (Inc legs) cm	Width	Depth	Bin / Dis- penser Op- tions Priced sepa- rately	Price Exc Bins Exc GST
11000	Half Dice	395kg	293kg				A970	\$8440.00
0				67.3	76.2	62.2	SPA310	
	Full Dice	403kg	297kg				DISP500	\$8440.00
							A570	
I1200	Half Dice	439kg	348kg				SPA310	\$11,120
0				74.9	76.2	62.1	DISP500	
	Full Dice	481kg	371kg				A970	\$11,120

Model	Storage Capacity	Price ex GST
A570 Bin	195kg suits S450 & S600 series ice machines	\$2070
A970 Bin	322kg suits 850 up to \$1800, \$F900 series	\$2710
SPA160 Dispenser	54kg suits I320 & I1520 Series (no head included)	\$6160
SPA310 Dispenser	82 kg suits I450 up to I1200 Series (no head included)	\$7060
Disp500T	294kg suits L450 up to l1200 (no head included)	\$18240
Disp1000	490kg suits I1400 up to I1800 (no head included)	\$23,890




Www.icemachines4u.com.au

1300 673 673

















Head Office

Unit 5, Quantum Business Park

1 Gardner Crt,

Wilsonton Qld 4350

National sales:

1300 ORFORD (1300 673 673)

Corby Orford: 0418 700006

Phone: +61 7 46 345 278

Fax : +61 7 46 417 372

Key Websites:

Www.flowerfridges4u.com.au

Www.orfordspareparts.com.au

All images are subject to copyright and cannot be reproduced without permission

Postal Address

PO box 18120

Clifford Gardens Qld 4350

Jeff Ash: 0400 013 958

Email: jeff@orford.com.au

Email: corby@orford.com.au

www.orford.com.au

Www.facebook.com/theorfordgroup

Key Patents:

AUS DSN no 345317

Patent No 2013100761

"Orford" is protected by Trademark No

1452870

All efforts are made to ensure the accuracy of information, but from time to time errors may occur. Please check prior to placing orders. This publication serves as a guide to the Orford and partner products. Readers are encourage to contact Orford prior to making final purchasing decisions



